

Goshkan Proxy Api Reference Document: version 0.2.3

Routes: --- /api/{add|del|all}/

1- /api/all/ --- get all regex patterns in database

Method: GET

HTTP OK: 200 --- HTTP BODY:

```
[
  {
    "Regex": "git.snix.ir",
    "RegID": 3
  }
]
```

HTTP ERROR: <Error Code> --- HTTP BODY:

error string with status

2- /api/add/ --- add new regex pattern to database

Method: POST --- HTTP BODY:

```
{
  "Regex": "new-domain-regex"
}
```

HTTP OK: 200 --- HTTP BODY:

HTTP ERROR: <Error Code> --- HTTP BODY:

Error string with status

3- /api/del/ --- delete regex pattern from database

Method: POST --- HTTP BODY:

```
{  
    "RegID": 1  
}
```

HTTP OK: 200 --- HTTP BODY:

HTTP ERROR: <Error Code> --- HTTP BODY:

Error string with status

Links: Source-Code:

- git.snix.ir/goshkan
- github.com/sina-ghaderi/goshkan
- blog.snix.ir

Licence:

Copyright 2021 SNIX LLC sina@snix.ir

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 as published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.